


INDUSTRIAL QUALITY



Bench Scale KPZ 2E-06



The industrial scale

Easy to operate
Capacity up to 500 kg
High indicator stand
Large 25 mm LCD Display
100% Tare
230 V Mains
Battery operation

Serial interface RS232
Switch Gross and Net
Pieces counting (optional)
Barcode (optional)
Printer (optional)
Setpoint (optional)
Components (optional)

	Level indication for optimal weighing		Full adjustable indicator
--	--	--	----------------------------------

**Inexpensive and industrial scale!
German quality construction**

INDUSTRIAL QUALITY



Standard: KPZ 2E-06,

Construction: robust, high quality bench scale, steel industrial scale (frame made of profile), powder painting, stainless steel, equipment with load cells DMS, type KPZ 504E 2, IP 67 approved EU Class III. Bench version or with stand.

Approved 3000 division, multi range and 15.000 outer division



Indicator KPZ 51E-8

6 digit 25 mm high LCD-Display
with backlight function
status symbols,
large function keys
Pre-set value control

Standard indicator KPZ 51E-8: easy and comfortable maintenance, solid, robust ABS housing, keyboard covered with a dust- and water-proof foil, with large function keys. Large LCD-Display with backlight allows proper weighing result read-out, to use with almost every industrial conditions.

Functions: 100% tare, also multiple tare, repeatedly weighing and commissioning. Minus indication, switch gross and net, zero setting, serial interface RS232, data output including addition function (during printing), data output (different formats), pre-set / limit value control HIGH – OK – LOW (tone signal and indications on the display, automatic self test, error message on display).

Description: 6 digits, 25mm high LCD Display with backlight function LCD display, build in calibration program, automatic zero setting, electronic filter, operating temperature from –10°C to 40°C, stainless steel platform taking off to cleaning, built in battery, charging status, LOW-Bat indication, inner charger, 230 VAC, 50/60 HZ connected with cable, keyboard covered with a dust- and water-proof foil, with large function keys.

Indication : weight, zero setting, tare, stability, charging status, LOW-Bat indication, limit value control.

Power supply: 230 V, battery version (option).

Indicator options: Please contact us, **we will do our best for you.**

Version with high resolution, 30.000 division, with indicator KPZ 51E-9-1:



Indicator KPZ 51E-9-1

solid stainless steel housing IP 67,
large function keys
6 digit 25 mm high LCD-Display
status symbols
with backlight function
Pre-set value control
Pieces counting

Power supply: 230 V, battery version (option).

Functions: automatic and manual zero setting, switch Net/Gross weight, 100% tare, multiple tare, multiple tare, unit switching, simple piece counting by reference no. 10, 20, 50, 100 i 200. Minus indication, LCD backlight, automatic shutoff after 0-9 minutes, pre-set value control or limit value control LOW – OK - HIGH (any two weight values to choose, tone or light signal), electronic stabilization filter, automatic self test, error messages.

Indication: zero setting, gross, net, stability, LOW-Bat indication, pre-set/limit value, too small piece quantity or too small weight.

Dioda LED: charging status.

KPZ price includes complete scale with indicator.

Warranty: 24 months on proper material and workmanship features, normal use appropriately.

K-PZ Wagi • tel: +48 61 44 21 189 • fax: +48 61 44 21 190 • E-mail: info@kpzwagi.pl

KPZ - Scales, ROBUST, INEXPENSIVE, and GOOD!!!

We reserve the right to make technical modifications and price changes without prior notification

INDUSTRIAL QUALITY



Type	Capacity	Division	Indicator	Approval possible	Dim. mm.	Art.No
KPZ 206S	7,5 kg	0,5 g	KPZ 51E8	No	300 x 400 x 120	206S00063400
KPZ 2E06S	6 kg	2 g	KPZ 51E8	Yes (III)		2E06S0006340
KPZ 206S	15 kg	1 g	KPZ 51E8	No		2H06S0015340
KPZ 206SH	15 kg	0,5 g	KPZ 51E91	No		2H06S0015340
KPZ 2E06S	15 kg	5 g	KPZ 51E8	Yes (III)		2E06S0015340
KPZ 2E06SM	15/30 kg	5/10 g	KPZ 51E91	Yes (III)		2E06SM030340
KPZ 206SH	30 kg	1 g	KPZ 51E91	No		2H06S0030340
KPZ 206S	30 kg	2 g	KPZ 51E8	No		206S00303400
KPZ 2E06S	30 kg	10 g	KPZ 51E8	Yes (III)		2E06S0030340
KPZ 206SH	60 kg	2 g	KPZ 51E91	No		2H06S0060340
KPZ 206S	75 kg	5 g	KPZ 51E8	No	420 x 520 x 120	206S00603400
KPZ 2E06S	60 kg	20 g	KPZ 51E8	Yes (III)		2E06S0060340
KPZ 206S	30 kg	2 g	KPZ 51E8	No		206S00304500
KPZ 206SH	30 kg	1 g	KPZ 51E91	No		2H06S0030450
KPZ 2E06S	30 kg	10 g	KPZ 51E8	Yes (III)		2E06S0030450
KPZ 2E06SM	30/60 kg	10/20 g	KPZ 51E91	Yes (III)		2E06SM060450
KPZ 206S	75kg	5 g	KPZ 51E8	No		206S00604500
KPZ 206SH	60kg	2 g	KPZ 51E91	No		2H06S0060450
KPZ 2E06S	60kg	20 g	KPZ 51E8	Yes (III)		2E06S0060450
KPZ 2E06SM	60/120 kg	20/50 g	KPZ 51E91	Yes (III)		2E06SM120450
KPZ 206S	150 kg	10 g	KPZ 51E8	No	460 x 600 x 130	206S01504500
KPZ 2E06S	150 kg	50 g	KPZ 51E8	Yes (III)		2E06S0150450
KPZ 206S	75kg	5 g	KPZ 51E8	No		206S00604600
KPZ 2E06S	60kg	20 g	KPZ 51E8	Yes (III)		2E06S0060460
KPZ 2E06S	150 kg	10 g	KPZ 51E8	No		206S01504600
KPZ 2E06S	150 kg	50 g	KPZ 51E8	Yes (III)		2E06S0150460
KPZ 2E06S	150/300 kg	50/100 g	KPZ 51E91	Yes (III)		2E06SM300460
KPZ 206S	300 kg	20 g	KPZ 51E8	No		206S03004600
KPZ 2E06S	300 kg	100 g	KPZ 51E8	Yes (III)		2E06S0300460
KPZ 206S	75 kg	5 g	KPZ 51E8	No	600 x 600 x 150	206S00606600
KPZ 2E06S	60 kg	20 g	KPZ 51E8	Yes (III)		2E06S0060660
KPZ 206S	150 kg	10 g	KPZ 51E8	No		206S01506600
KPZ 2E06S	150 kg	50 g	KPZ 51E8	Yes (III)		2E06S0150660
KPZ 206S	300 kg	20 g	KPZ 51E8	No		206S03006600
KPZ 2E06S	300 kg	100 g	KPZ 51E8	Yes (III)		2E06S0300660
KPZ 206S	75 kg	5 g	KPZ 51E8	No	600 x 800 x 150	206S00606800
KPZ 2E06S	60 kg	20 g	KPZ 51E8	Yes (III)		2E06S0060680
KPZ 206S	150 kg	10 g	KPZ 51E8	No		206S01506800
KPZ 2E06S	150 kg	50 g	KPZ 51E8	Yes (III)		2E06S0150680
KPZ 206S	300 kg	20 g	KPZ 51E8	No		206S03006800
KPZ 2E06S	300 kg	100 g	KPZ 51E8	Yes (III)		2E06S0300680
KPZ 206S	500 kg	50 g	KPZ 51E8	No		206S05006800
KPZ 2E06S	500 kg	200 g	KPZ 51E8	Yes (III)		2E06S0500680
KPZ 206S	75 kg	5 g	KPZ 51E8	No	800 x 800 x 150	206S00608800
KPZ 206S	150 kg	10 g	KPZ 51E8	No		206S01508800
KPZ 206S	150 kg	50 g	KPZ 51E8	No		206S01508800
KPZ 206S	300 kg	20 g	KPZ 51E8	No		206S03008800
KPZ 206S	300 kg	100 g	KPZ 51E8	No		206S03008800
KPZ 206S	500 kg	50 g	KPZ 51E8	No		206S05008800

KPZ 2E-06 price includes indicator.

In above mentioned products KPZ applies only EU approved components .
 Other dimensions, capacities, options and divisions on request.
 Calibration protocol as option. Price on request.
 Option: Cash register system connection!

2 Range
division


K-PZ Wagi • tel: +48 61 44 21 189 • fax: +48 61 44 21 190 • E-mail: info@kpzwagi.pl

KPZ - Scales, ROBUST, INEXPENSIVE, and GOOD!!!

We reserve the right to make technical modifications and price changes without prior notification

Options for KPZ 2E-06

Options / accessories / extra charge		Article-Nr
Indicators: Options (extra cost)		
Delivery without Indicator KPZ 51E-8, REDUCED PRICE		1251E8OHNE
Indicator KPZ 51E-8/1, with pre tare and easy counting		1200300000000
Indicator KPZ 56E-1, professional counting, addition, Tare input by hand, 10 Memory		1203240000000
Indicator KPZ 51E-9-1, Stainless steel housing (IP 67) easy counting		2E06S51E9100
Indicator KPZ 51E-9-2, Stainless steel housing (IP 67), High/OK/LOW, 10 Memory		2E06S51E9200
Printers: Options (extra cost) + costs for output RS 232		
Roller printer FAVORIT Plus, for KPZ 51(E)-*, Thermoprinting		2034230000000
Rollerprinter DR 3-1 for KPZ 51E-*, 56E-1, with addition		1200351000000
Label printer and code printer Typ DR 2 for KPZ 56E-1, KPZ 51E-9-2		1200340000000
Print design for DR 2 on request		2043331000000
serial interface / Setpoints: Options / extra costs		
Serial interface RS232 C for KPZ 51E-8, KPZ 51E-9-1, KPZ 51E-9-2, KPZ 56E-1		1230700000000
Serial interface RS232 C for KPZ 51E-9-1		1230710000000
Serial interface RS232 C for KPZ 51E-9-2		1230720000000
Serial interface RS232 C for KPZ 56E-1 incl. PT and Addition		1230800000000
Serial interface RS232 C for KPZ 56E-1 incl. RTC, w/out PT, w/out Addition		2043000700000
Setpoints, 3 pcs for KPZ 51(E)-8 (more – OK – less)		120029001000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)		120029002000
Standard-Program - Software in connection with RS232		51E003340000
Wi-Fi Data transfer		1200050000000
Options (extra charge)		
Table version without stamp, 2,5 m cable, incl. waterlable		2E06S0000600
Wall mounting for indicator		1S00200000000
KPZ Factory first certification up to 50 kg		3001003000000
KPZ Factory first certification up to 500 kg		3001150000000
KPZ Factory first certification for Printer		3001180000000
Packing dimension		
Type	Platform	Packing dimension
KPZ 2-06-S	300 x 400 x 120 mm	890 x 390 x 250 mm, 11 kg
KPZ 2-06-S	420 x 520 x 120 mm	830 x 450 x 290 mm, 20 kg
KPZ 2-06-S	460 x 600 x 150 mm	1200 x 800 x 400 mm, 36 kg
KPZ 2-06-S	600 x 600 x 150 mm	1200 x 800 x 400 mm, 47 kg
KPZ 2-06-S	600 x 800 x 150 mm	1200 x 800 x 400 mm, 51 kg
KPZ 2-06-S	800 x 800 x 150 mm	1200 x 800 x 400 mm, 59 kg



K-PZ Wagi • tel: +48 61 44 21 189 • fax: +48 61 44 21 190 • E-mail: info@kpzwagi.pl

KPZ - Scales, ROBUST, INEXPENSIVE, and GOOD!!!

We reserve the right to make technical modifications and price changes without prior notification